

1. Identification of the substance/preparation and of the company/undertaking

Rat NGAL ELISA Kit (KIT 041) (for research use only)

Catalog No: KIT 041

The Rat NGAL ELISA Kit (KIT 041) is intended by BioPorto Diagnostics for in vitro determination of rat NGAL in urine, serum or plasma, tissue extracts or culture media. For research use only.


BioPorto Diagnostics A/S
Grusbakken 8
DK-2820 Gentofte
Denmark

 Phone: +45 4529 0000
Fax: +45 4529 0001
Email: info@bioporto.com
Web: www.bioporto.com

 Responsible person: Camilla Recke
Title: QA & RA Manager
Direct email: cr@bioporto.com

Emergency telephone: 112 (Europe)

2. Hazards identification

None of the hazardous reagents are present in an amount that qualifies the products as hazardous according to Directive 67/548/EC.

However exposure to large amounts and/or ingestion can potentially be hazardous.

	Kit component	① Microwell plate, 96 precoated wells	② 5x Sample Diluent Conc.	③ Rat NGAL Calibrator 1-8 (3a-h)	④ 25x Wash Solution Conc.	⑤ Biotinylated Rat NGAL Antibody	⑥ HRP- Streptavidin	⑦ TMB Substrate	⑧ Stop Solution
Hazard to man (if exposed to large amounts)									
Harmful by inhalation				X					
Harmful in contact with skin and if swallowed				X					
Risk of percutaneous absorption.			X	X	X	X			
Risk of sensitization of skin.			X	X	X	X		X	X
Hazard to the environment									
Harmful to aquatic organisms, may cause long-term adverse effects			(X)	X	(X)	(X)			

3. Composition/information on ingredients

The kit contains the following components: Microwell plate, 96 precoated wells, 5x Sample Diluent Conc., Rat NGAL Calibrators 1-8, 25x Wash Solution Conc., Biotinylated Rat NGAL Antibody, HRP-Streptavidin, TMB Substrate and Stop Solution.

No single component contains a hazardous ingredient in an amount that requires labeling. The contents in the components of ingredients listed as hazardous are given below:

	Component	Ingredient	Concentration	CAS#	EC#	Classification (pure ingredient)	Classification (kit component)
③a-h	Rat NGAL Calibrator 1-8	Sodium azide	0.05% (w/v)	26628-22-8	247-852-1	Tx; R28, R38 N; R50/53	NA
③a-h	Rat NGAL Calibrator 1-8	NGAL (source material: rat urine)	0-0.5% (v/v)	-	-	NA, Biologic	NA
②	5x Sample Diluent Conc.	Phenol red	0.008% (w/v)	143-74-8	205-609-7	Xi; R36/37/38	NA
⑤	Biotinylated Rat NGAL Antibody		0.00006% (w/v)				NA
②	5x Sample Diluent Conc.	Bronidox (5-bromo-5-nitro-1,3-dioxane)	0.01% (w/v)	30007-47-7	250-001-7	Xn; R22,R38	NA
④	25x Wash Solution Conc.		0.01% (w/v)				NA
⑤	Biotinylated Rat NGAL Antibody		0.01%(w/v)				NA
⑦	TMB Substrate	3,3',5,5'-tetramethylbenzidine	<0.05% (w/v) in H ₂ O	54827-17-7	259-364-6	Xn; R22 N;R51/53	NA
⑧	Stop Solution	Sulfuric acid	0.5 mol/L	7664-93-97	231-639-5	C; R35	NA

4. First aid measures

First aid personnel should ensure self protection.

After inhalation: Immediately remove the casualty from exposure and move to fresh air. If breathing stops, immediately apply mechanical ventilation and apply an oxygen mask if available. Arrange medical treatment.

After skin contact: Wash off with plenty of water. Remove contaminated clothing. If necessary arrange medical treatment.

After eye contact: Rinse out with plenty of water with the eyelids held wide open. Arrange medical treatment.

After swallowing: Immediately make casualty drink plenty of water. Immediately arrange medical treatment.

5. Fire-fighting measures

Data for kit component solutions. Not for individual ingredients.

Suitable extinguishing media

Use water spray, dry sand, carbon dioxide or foam depending on the surrounding materials and equipment.

Special risks

None known.

6. Accidental release measures**Person-related precautionary measures**

Do not inhale aerosols. Immediately change contaminated clothing.

Environmental-precautionary measures

Do not allow to enter sewerage system. Contain spill.

Procedures for cleaning/absorption

Take up with liquid-absorbent material. Forward for disposal. Clean up and disinfect affected area.

7. Handling and storage**Handling**

Cannot be stored indefinitely. Expiry date is printed on labels.

General good laboratory practice should be maintained. Handle calibrators and unknown samples as potentially infectious.

Take care to keep workplace clean and dry. The substances used should not be present at the place of work in quantities above those required for carrying out the work. Do not leave containers open. Avoid general contact by handling. Compatible materials: glass, plastic.

Storage

Store components in the box with the lids tightly closed. Store all components at 2-8°C.

Specific use

The product is intended for research use only.

Intended for professional use only.

8. Exposure controls/personal protection

Data for kit components solutions (not for individual ingredients).

Personal protective clothing

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled.

Respiratory protection

Required only in unintentional release of the substance.

Eye protection

Not required when handling as recommended.

Skin protection

Required. Wear laboratory coat and protective gloves. The glove material must be sufficient impermeable and resistant to the substance. Check the tightness before wear. Protect the skin.

General protective and hygienic measures

Foods and beverages should not be consumed in the vicinity of the work area. Wash hands before work breaks and on finishing the work.

9. Physical and chemical properties

Data for kit component solutions (not for individual ingredients)

Appearance:	Clear to yellow or red solutions, odorless
pH:	Neutral except for Stop Solution (pH ~0.6)
Boiling point:	NA
Flash point:	NA
Flammability:	NA
Explosive properties:	NA
Oxidizing properties:	NA
Vapor pressure:	NA
Relative density:	NA
Solubility:	Soluble in water
Viscosity:	NA
Vapor density:	NA
Evaporation rate:	NA
Additional parameters:	NA

10. Stability and reactivity

Stability: Stable. However note expiry date printed on labels. Store at 2-8°C and replace the components at this temperature at the end of the working procedure.

Conditions to avoid: Heating above room temperature, freezing.

Materials to avoid: Generally use only clean glass and plastic suitable for laboratory use for handling the kit components.

None known materials to be avoided.

Dangerous reactions: In the case of fire see chapter 5. No dangerous reactions known.

Further information: Note that Stop Solution contains sulfuric acid (H₂SO₄) and has a corrosive effect.

11. Toxicological information

Because of the small size of the containers and the low concentrations of hazardous ingredients, the toxicological risks are minor.

Toxicological experiments have not been done on the kit components.

The following toxicological information is for the hazardous ingredients **in pure form** from ChemIdplus:

Sodium azide (ingredient in Rat NGAL Calibrators)

Sodium azide is a cytochrome oxidase inhibitor which is a nitridizing agent and an inhibitor of terminal oxidation (Merck Index, 12th ed). Sodium azide acts as a fungicide, bactericide, herbicide, insecticide and nematocide.

Acute toxicity

After inhalation: Severe irritation of mucous membranes, respiratory tract. Possible damages:

After swallowing: pulmonary edema. Latency time until onset of action.
 Irritations of mucous membranes in the mouth, pharynx, esophagus and gastrointestinal tract.

After skin contact: Slight irritations. Danger of skin absorption.

After eye contact: Eye irritation test (rabbit): Slight irritation of the eye.

Systemic effects of azide exposure: CNS disorders (tremor on long-term exposure), cardiovascular failure, tachycardia, drop in blood pressure, coughing, dyspnea, spasms, headache, dizziness, nausea, vomiting, collapse, unconsciousness.

Animal toxicity data: LD₅₀ (dermal, rabbit): 20 mg/kg, LD₅₀ (oral, rat): 27 mg/kg.

Human toxicity data: An oral dose of 0.71 mg/kg caused general anesthetic effect and depressed activity as well as changed activity in the kidney, ureter and bladder.

An oral dose of 29 mg/kg caused increased intracranial pressure, change in pulse rate and acute pulmonary edema.

An oral dose of 129 mg/kg caused coma and death within 4 hours.

Further toxicological information: No teratogenic effect in animal experiments.

Bronidox (ingredient in 5x Sample Diluent Concentrate, 25x Wash Solution Concentrate, Biotinylated Rat NGAL Antibody):

Few data are available.

Acute toxicity

After inhalation: May be harmful after inhalation and irritate the respiratory tract.

After swallowing: Harmful if swallowed

After skin contact: Irritation of the skin. Danger of skin absorption.

After eye contact: May cause eye irritation.

Effects of Bronidox L exposure: Behavioral (tremor), behavioral (convulsions or effect on seizure threshold), behavioral (excitement), skin and appendages (after systemic exposure: dermatitis, other)

Animal toxicological data: LD₅₀ (oral, mouse): 590 mg/kg, LD₅₀ (oral, rat): 455 mg/kg.

Human toxicological data: No data available.

12. Ecological information

Sodium azide

Highly toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. Forms toxic mixtures in water, dilution measures notwithstanding. Herbicidal effect. Nematocidal effect.

NCLASS data:

Toxicity: Proposed 0.1 mg/L < L(E)C50 < 1 mg/L

Degradation: Readily degradable = No

Bioaccumulation: Log Pow = NA, BCF = NA

ECOTOX data

Algal toxicity: *Dunaliella tertiolecta* (green algae) EC₅₀: 2 mg/L (24 h), *Macrocystis pyrifera* (giant kelp) EC₅₀: 1.1 mg/L (24 h)

Crustacean toxicity: *Daphnia pulex* (water flea) EC₅₀: 4.2 mg/L (48 h)

Fish toxicity: *Lepomis macrochirus* (bluegill) LC₅₀: 0.7 mg/L (96 h)

Plant toxicity: *Lemna minor* (duckweed): 64 ug/L (24 h)

Insect toxicity: *Pteronarcys californicus* (stonefly) LC₅₀: 9 mg/L (96 h)

Invertebrate toxicity: *Microregma* sp. (ciliated protozoa): 3 mg/L

Mollusc toxicity: *Mytilus californianus* (mussel): EC₅₀: 13.2 mg/L (96 h)

Bronidox

No data available

Further ecological information

Do not allow to enter waters, waste water or soil.

Due to the small size of the containers and the low concentrations of hazardous ingredients, risks are minor.

13. Disposal considerations

Product: Must be disposed in compliance with the respective national regulations.
Packaging: Must be disposed in compliance with the respective national regulations.

14. Transport information


No special transport regulations
ADR (road)/ RID (rail): NA
IMDG (sea): NA
ICAO / IATA (air): NA

15. Regulatory information

No single component contains a hazardous ingredient in an amount that requires identification and labeling according to EC directives.

16. Other information

For research use only.
For professional use only.
Read instructions for use before using the product. Observe the general safety regulations when handling chemicals. Good laboratory practice is the best preventive measure to avoid hazards.
The information above is believed to be accurate and represents the best information currently available to us. Data are predominantly from the NCLASS, Ecotox and ChemIdplus databases and the Merck Index.

Prepared by: CR 
QA & RA Manager, BioPorto Diagnostics A/S

Date: 2008-04-14