


NGAL references January 2008



Renal injury and function

Malyszko J, Bachorzewska-Gajewska H, Malyszko JS, Pawlak K, Dobrzycki S (2008) Serum neutrophil gelatinase-associated lipocalin as a marker of renal function in hypertensive and normotensive patients with coronary artery disease. *Nephrology* 13:153–156.

Wagener G, Gubitosa G, Wang S, Borregaard N, Kim M, Lee HT (2008) Increased incidence of acute kidney injury with aprotinin use during cardiac surgery detected with urinary NGAL. *Am J Nephrol* 28:576–582.

Suzuki M, Wiers KM, Klein-Gitelman MS, Haines KA, Olson J, Onel KB, O'Neil K, Passo KH, Singer NG, Tucker L, Ying J, Devarajan P, Brunner HI (2008) Neutrophil gelatinase-associated lipocalin as a biomarker of disease activity in pediatric lupus nephritis. *Pediatr Nephrol* 23:403–412.

Bennett M, Dent CL, Ma Q, Dastrala S, Grenier F, Workman R, Syed H, Ali S, Barasch J, Devarajan P (2008) Urine NGAL predicts severity of acute kidney injury after cardiac surgery: A prospective study. *Clin J Am Soc Nephrol* E-pub.

Bolignano D, Coppolino G, Campo S, Aloisi C, Nicocia G, Frisina N, Buemi M (2007) Urinary neutrophil gelatinase-associated lipocalin (NGAL) is associated with severity of renal disease in proteinuric patients. *Nephrol Dial Transplant* 23:414–416.

Hirsch R, Dent C, Pfriem H, Allen J, Beekman RH 3rd, Ma Q, Dastrala S, Bennett M, Mitsnefes M, Devarajan P (2007) NGAL is an early predictive biomarker of contrast-induced nephropathy in children. *Pediatr Nephrol* 22:2089–2095.

Bachorzewska-Gajewska H, Malyszko J, Sitniewska E, Malyszko JS, Poniowski B, Pawlak K, Dobrzycki S (2007) NGAL (neutrophil gelatinase-associated lipocalin) and cystatin C: Are they good predictors of contrast nephropathy after percutaneous coronary interventions in patients with stable angina and normal serum creatinine? *Int J Cardiol* E-pub.

Folkesson M, Kazi M, Zhu C, Silveira A, Hemdahl AL, Hamsten A, Hedin U, Swedenborg J, Eriksson P (2007) Presence of NGAL/MMP-9 complexes in human abdominal aortic aneurysms. *Thromb Haemost* 98:427–433.

Zappitelli M, Washburn KK, Arikan AA, Loftis L, Ma Q, Devarajan P, Parikh CR, Goldstein SL (2007) Urine neutrophil gelatinase-associated lipocalin is an early marker of acute kidney injury in critically ill children: a prospective cohort study. *Crit Care* 11:R84.

Portilla D, Dent C, Sugaya T, Nagothu KK, Kundi I, Moore P, Noiri E, Devarajan P (2007) Liver fatty acid-binding protein as a biomarker of acute kidney injury after cardiac surgery. *Kidney Int* 73:465–472.

Dent CL, Ma Q, Dastrala S, Bennett M, Mitsnefes MM, Barasch, Devarajan P (2007) Plasma neutrophil gelatinase-associated lipocalin predicts acute kidney injury, morbidity and mortality after pediatric cardiac surgery: a prospective uncontrolled cohort study. *Crit Care* 11:R127

- Wagener G, Gubitosa G, Jalbout M, Sladen R, Lee HT (2006) Aprotinin increases urinary NGAL, a marker for renal tubular injury after cardiac surgery. *Anesthesiology* 105:A1732.
- Bachorzewska-Gajewska H, Malyszko J, Sitniewska E, Malyszko JS, Dobrzycki S (2007) Neutrophil gelatinase-associated lipocalin (NGAL) correlations with cystatin C, serum creatinine and eGFR in patients with normal serum creatinine undergoing coronary angiography. *Nephrol Dial Transplant* 22:295-296.
- Bolignano D, Coppolino G, Campo S, Aloisi C, Nicocia G, Frisina N, Buemi M (2007) Neutrophil gelatinase-associated lipocalin in patients with autosomal-dominant polycystic kidney disease. *Am J Nephrol* 27:373-378.
- Wagener G, Gubitosa G, Borregaard N, Bangert K, Sladen R, Lee H (2006) Urinary NGAL correlates with change in serum creatinine after cardiac surgery. *Intensive Care Med* 32 (Suppl 1):S160.
- Bangert K, Heslet L, Ghiglione M, Uttenthal LO (2006) NGAL is significantly increased in urine and plasma in acute renal failure. *Intensive Care Med* 32 (Suppl. 1):S10.
- Bangert K, Rossen M, Schoidt F, Uttenthal LO (2006) Increased serum NGAL levels predict death in acetaminophen intoxicated patients. *Intensive Care Med* 32 (Suppl. 1):S162.
- Portal AJ, Austin M, Bruce MJ, Wendon J, Heneghan M (2006) A preliminary evaluation of a novel biomarker of renal function, neutrophil gelatinase-associated lipocalin (NGAL), in patients with liver disease. *Hepatology* 44 (Suppl. 1):451A.
- Wagener G, Jan M, Kim M, Mori K, Barasch JM, Sladen RN, Lee HT (2006) Association between increases in urinary neutrophil gelatinase-associated lipocalin and acute renal dysfunction after adult cardiac surgery. *Anesthesiology* 105:485-491.
- Brunner HI, Mueller M, Rutherford C, Passo MH, Witte D, Grom A, Mishra J, Devarajan P (2006) Urinary neutrophil gelatinase-associated lipocalin as a biomarker of nephritis in childhood-onset systemic lupus erythematosus. *Arthritis Rheum* 54:2577-2584.
- Bachorzewska-Gajewska H, Malyszko J, Sitniewska E, Malyszko JS, Dobrzycki S (2006) Neutrophil-gelatinase-associated lipocalin and renal function after percutaneous coronary interventions. *Am J Nephrol* 26:287-292.
- Trachtman H, Christen E, Cnaan A, Patrick J, Mai V, Mishra J, Jain A, Bullington N, Devarajan P (2006) Urinary neutrophil gelatinase-associated lipocalin in D+HUS: a novel marker of renal injury. *Pediatr Nephrol* 21:989-994.
- Vera T, Henegar JR, Drummond HA, Rimoldi JM, Stec DE (2005) Protective effect of carbon monoxide-releasing compounds in ischemia-induced acute renal failure. *J Am Soc Nephrol* 131:528-535.
- Mishra J, Dent C, Tarabishi R, Mitsnefes MM, Ma Q, Kelly C, Ruff SM, Zahedi K, Shao M, Bean J, Mori K, Barasch J, Devarajan P (2005) Neutrophil gelatinase-associated lipocalin (NGAL) as a biomarker for acute renal injury after cardiac surgery. *Lancet* 365:1231-1238.

Tong Z, Wu X, Ovcharenko D, Zhu J, Chen CS, Kehrer JP (2005) Neutrophil gelatinase associated lipocalin as a survival factor. *Biochem J* 391:441-448.

Mori K, Lee HT, Rapoport D, Drexler IR, Foster K, Yang J, Schmidt-Ott KM, Chen X, Li JY, Weiss S, Mishra J, Cheema FH, Markowitz G, Suganami T, Sawai K, Mukoyama M, Kunis C, D'Agati V, Devarajan P, Barasch J (2005) Endocytic delivery of lipocalin-siderophore-iron complex rescues the kidney from ischemia-reperfusion injury. *J Clin Invest* 115:610-621.

Mishra J, Mori K, Ma Q, Kelly C, Barasch J, Devarajan P (2004) Neutrophil gelatinase-associated lipocalin: a novel early urinary biomarker for cisplatin nephrotoxicity. *Am J Nephrol* 24:307-315.

Mishra J, Ma Q, Prada A, Mitsnefes M, Zahedi K, Yang J, Barasch J, Devarajan P (2003) Identification of neutrophil gelatinase-associated lipocalin as a novel early urinary bio-marker for ischemic renal injury. *J Am Soc Nephrol* 14:2534-2543.

Ding H, He Y, Li K, Yang J, Li X, Lu R, Gao W (2007) Urinary neutrophil gelatinase-associated lipocalin (NGAL) is an early biomarker for renal tubulointerstitial injury in IgA nephropathy. *Clin Immunol* 123:227-234.

Chronic kidney disease

Mitsnefes MM, Kathman TS, Mishra J, Kartal J, Khoury PR, Nickolas TL, Barasch J, Devarajan P (2007) Serum neutrophil gelatinase-associated lipocalin as a marker of renal function in children with chronic kidney disease. *Pediatr Nephrol* 22:101-108.

Transplantation

Schaub S, Mayr M, Hönger G, Bestland J, Steiger J, Regeniter A, Mihatsch MJ, Wilkins JA, Rush D and Nickerson P (2007) Detection of subclinical tubular injury after renal transplantation: Comparison of urine protein analysis with allograft histopathology. *Transplantation* 84:104-112.

Malyszko J, Malyszko JS, Pawlak K, Mysliwiec M (2007) NGAL (neutrophil gelatinase-associated lipocalin) is a new sensitive marker of kidney function in renal-allograft recipients. *Transplant International* 20:P602.

Borrelli E, Bernazzali S, Diciolla F, Maccherini M (2007) Relationship between acute rejection in endomyocardial biopsies and plasma levels of neutrophil gelatinase-associated lipocalin (NGAL) in heart transplanted patients. *Transplant International* 20:P269.

Parikh CR, Thissen-Philbrook H, Mishra J, Jani A, Ma Q, Kelly C, Barasch J, Edelstein C, Devarajan P (2006) Urine NGAL and IL-18 are novel predictive biomarkers for delayed graft function. *Transplantation* 15(1 Suppl. 2):201.

Junge G, Schewior LV, Kohler S, Pratschke J, Neuhaus P, Langrehr JM (2006) Urinary neutrophil gelatinase-associated lipocalin (NGAL) in brain-dead kidney donors indicates post transplant graft function. *Transplantation* 15(1 Suppl. 2):787.

Parikh CR, Jani A, Mishra J, Ma Q, Kelly C, Barasch J, Edelstein CL, Devarajan P (2006) Urine NGAL and IL-18 are predictive biomarkers for delayed graft function following kidney transplantation. *Am J Transplant* 6:1639-1645.

Mishra J, Ma Q, Kelly C, Mitsnefes M, Devarajan P (2006) Kidney NGAL is a novel early marker of acute injury following transplantation. *Pediatr Nephrol* 21:856-863.

Cancer

Lim R, Ahmed N, Borregaard N, Riley C, Wafai R, Thompson EW, Quinn MA, Rice GE (2007) Neutrophil gelatinase-associated lipocalin (NGAL) an early-screening biomarker for ovarian cancer: NGAL is associated with epidermal growth factor-induced epithelio-mesenchymal transition. *Int J Cancer*: 120:2426-2434.

Laurell H, Bouisson M, Berthelemy P, Rochaix P, Dejean S, Besse P, Susini C, Pradayrol L, Vaysse N, Buscail L (2006) Identification of biomarkers of human pancreatic adenocarcinomas by expression profiling and validation with gene expression analysis in endoscopic ultrasound-guided fine needle aspiration samples. *World J Gastroenterol* 12:3344-3351.

Fernandez CA, Yan L, Louis G, Yang J, Kutok JL, Moses MA (2005) The matrix metalloproteinase-9/neutrophil gelatinase-associated lipocalin complex plays a role in breast tumor growth and is present in the urine of breast cancer patients. *Clin Cancer Res* 11:5390-5395.

Zhang H, Xu L, Xiao D, Xie J, Zeng H, Wang Z, Zhang X, Niu Y, Shen Z, Shen J, Wu X, Li E (2007) Upregulation of neutrophil gelatinase-associated lipocalin in oesophageal squamous cell carcinoma: Significant correlation with cell differentiation and tumour invasion. *J Clin Pathol* 60:555-561.

Inflammation and infection

Åström-Olsson K, Hedstråom E, Hultén LM, Wiklund O, Arheden H, Öhlin AK, Gottsäter A, Öhlin H (2008) Dissociation of the inflammatory reaction following PCI for acute myocardial infarction. *J Invasive Cardiol* 19:452-456.

Boldt J, Brosch C, RÖhm K, Papsdorf M, Mengistu A (2008) Comparison of the effects of gelatin and a modern hydroxyethyl starch solution on renal function and inflammatory response in elderly cardiac surgery patients. *Br J Anaesth* E-pub.

Cowland JB, Muta T, Borregaard N (2006) IL-1beta-specific up-regulation of neutrophil gelatinase-associated lipocalin is controlled by I kappa B-Zeta. *J Immunol* 176: 5559-5566.

Hvidberg V, Jacobsen C, Strong RK, Cowland JB, Moestrup SK, Borregaard N (2005) The endocytic receptor megalin binds the iron transporting neutrophil-gelatinase-associated lipocalin with high affinity and mediates its cellular uptake. *FEBS Lett* 579:773-777.

Nelson AL, Barasch JM, Bunte RM, Weiser JN (2005) Bacterial colonization of nasal mucosa induces expression of siderocalin, an iron-sequestering component of innate immunity. *Cell Microbiol* 7:1404-1417

Goetz DH, Holmes MA, Borregaard N, Bluhm ME, Raymond KN, Strong RK (2002) The neutrophil lipocalin NGAL is a bacteriostatic agent that interferes with siderophore-mediated iron acquisition. *Mol Cell* 10:1033-1043.

Xu SY, Pauksen K, Venge P (1995) Serum measurements of human neutrophil lipocalin (HNL) discriminate between acute bacterial and viral infections. *Scand J Clin Lab Invest* 55:125-131.

Background and reviews

Devarajan P (2007) Emerging biomarkers of acute kidney injury. *Contrib Nephrol* 156:203-212.

Mori K & Nakao K (2007) Neutrophil gelatinase-associated lipocalin as the real-time indicator of active kidney damage. *Kidney Int* 71:967-970.

Schmidt-Ott KM, Mori K, Kalandadze A, Li JY, Paragas N, Nicholas T, Devarajan P, Barasch J (2006) Neutrophil gelatinase-associated lipocalin-mediated iron traffic in kidney epithelia. *Curr Opin Nephrol Hypertens* 15:442-449.

Cowland JB, Borregaard N (1997) Molecular characterization and pattern of tissue expression of the gene for neutrophil gelatinase-associated lipocalin from humans. *Genomics* 45:17-23.

Kjeldsen L, Koch C, Arnljots K, Borregaard N (1996) Characterization of two ELISAs for NGAL, a newly described lipocalin in human neutrophils. *J Immunol Methods* 198:155-164.

Kjeldsen L, Johnsen AH, Sengelov H, Borregaard N (1993) Isolation and primary structure of NGAL, a novel protein associated with human neutrophil gelatinase. *J Biol Chem* 268:10425-10432.

Related products

Human

Cat. No.	Product name
KIT 037	NGAL Rapid ELISA Kit
KIT 036	NGAL ELISA Kit
HYB 211-01	Mouse monoclonal anti-human NGAL antibody
HYB 211-01B	Biotinylated monoclonal anti-human NGAL antibody
HYB 211-02	Mouse monoclonal anti-human NGAL antibody
HYB 211-02B	Biotinylated monoclonal anti-human NGAL antibody
HYB 211-05	Mouse monoclonal anti-human NGAL antibody

Rat

Cat. No.	Product name
KIT 041	Rat NGAL ELISA Kit
ABS 039-08	Mouse monoclonal anti-rat NGAL antibody
ABS 039-32	Mouse monoclonal anti-rat NGAL antibody
ABS 039-32B	Biotinylated mouse monoclonal anti-rat NGAL antibody

For more information, please contact BioPorto Diagnostics or your local BioPorto Diagnostics distributor



BioPorto Diagnostics A/S Phone (+45) 4529 0000
 Grusbakken 8 Fax (+45) 4529 0001
 DK-2820 Gentofte E-mail info@bioporto.com
 Denmark Web www.bioporto.com

Distributor's stamp